


penergetic t Ruminants

Application & Dosage


Calves / calf fattening



Product


penergetic t
1710 Calves KD

Dosage


 2g / day / calf
100g / mt feed

Period


Newborn calf
1-2 weeks



penergetic t
1700 Calves
Fattening


 2g / day / calf
100g / mt feed

7-10 weeks

 4g / day / calf
150g / mt feed

11-20 weeks


Milk production




Product

penergetic t
1710 Calves KD

Dosage

 2g / day / calf

Newborn calf
1-2 weeks



penergetic t
1000 Livestock

 5-7g / day / head

Cattle until 60 days
before first insemination

penergetic t
1350 Cows REP

 10g / day / head

Until successful
insemination

penergetic t
1300 Cows EP

 5-7g / day / head

After successful
insemination until 60
days before next
insemination

penergetic t
1350 Cows REP

 10g / day / head

Until successful
insemination


penergetic t Ruminants

Application & Dosage


Reproduction

Product

penergetic t
1710 Calves KD



penergetic t
1000 Livestock




penergetic t
1350 Cows REP


penergetic t
1300 Cows EP

penergetic t
1350 Cows REP




Dosage

 2g / day / calf

 5-7g / day / head

 10g / day / head

 5-7g / day / head

 10g / day / head

Period

Newborn calf
1-2 weeks

Cattle until 60 days
before first
insemination

Until successful
insemination

Until 100 days of
lactation


As of 100 days
lactation until
successful
insemination



penergetic t Ruminants

Application & Dosage

Cattle- / bull fattening



Product


penergetic t
1710 Calves KD

Dosage

 2g / day / calf

Period

Newborn calf
1-2 weeks





penergetic t
1000 Livestock

 4g / day / calf


Start fattening
until 8 weeks
before
slaughtering

penergetic t
1373 Ruminant Finisher

 8g / day / cattle
 9g / day / bull

8 weeks before
slaughtering

Breeding bull



Product

penergetic t
1310 Bulls


Dosage

 8g / day / head

Period

Entire production
cycle

Lamb



Product

penergetic t
1000 Livestock

Dosage

 1g / day / head

Period

Start fattening
until 5 weeks
before slaughtering

penergetic t
1373 Ruminant Finisher

 4g / day / head

5 weeks before
slaughtering